

【2017年癌初発診断件数】患者比率については四捨五入処理のため、合計とは一致しない場合があります。

原発部位	総計	男性	女性	患者比率	平均年齢	男性	女性
肺癌	212	157	55	12.5%	72.3	71.6	74.4
結腸癌	206	131	75	12.2%	70.7	70.2	71.7
乳癌	159	4	155	9.4%	62.4	70.3	62.2
胃癌	158	119	39	9.3%	73.1	73.9	70.6
前立腺癌	120	120	-	7.1%	71.5	71.5	-
直腸癌	96	59	37	5.7%	68.6	67.8	69.8
リンパ腫	72	40	32	4.3%	70.4	70.6	70.2
皮膚癌	72	40	32	4.3%	76.7	76.1	77.4
子宮頸癌	69	-	69	4.1%	47.3	-	47.3
膵臓癌	63	40	23	3.7%	73.5	72.6	75.0
膀胱癌	59	48	11	3.5%	73.5	73.4	74.1
脳腫瘍	52	22	30	3.1%	59.2	59.5	58.9
肝癌	42	27	15	2.5%	72.1	70.7	74.7
白血病	35	27	8	2.1%	56.8	61.1	42.5
腎癌	25	15	10	1.5%	68.2	66.6	70.6
食道癌	24	19	5	1.4%	70.0	71.5	64.2
腎盂尿管癌	22	17	5	1.3%	67.2	68.8	62.0
骨髄異形成症候群	21	16	5	1.2%	70.8	70.0	73.2
子宮体癌	20	-	20	1.2%	61.7	-	61.7
その他の血液癌	18	12	6	1.1%	62.9	68.1	52.5
多発性骨髄腫	18	10	8	1.1%	72.6	71.9	73.5
甲状腺癌	16	6	10	0.9%	59.7	64.0	57.1
喉頭癌	13	13	-	0.8%	69.1	69.1	-
肝外胆管癌	12	6	6	0.7%	72.0	62.7	81.3
口唇および口腔癌	12	9	3	0.7%	75.8	77.8	69.7
咽頭癌	11	9	2	0.7%	65.7	68.9	51.5
原発不明癌	10	8	2	0.6%	70.5	68.8	77.5
卵巣癌	10	-	10	0.6%	60.8	-	60.8
胆のう癌	9	6	3	0.5%	76.9	79.2	72.3
悪性黒色腫	6	3	3	0.4%	66.3	72.7	60.0
精巣癌	4	4	-	0.2%	37.8	37.8	-
中皮腫	4	1	3	0.2%	72.5	78.0	70.7
胸腺癌	3	2	1	0.2%	38.0	38.5	37.0
その他	19	12	7	1.1%	69.4	70.0	68.4
総計	1692	1002	690	100.0%	68.6	70.6	65.7

【2018 年癌初発診断件数】 患者比率については四捨五入処理のため、合計とは一致しない場合があります。

原発部位	総数	男性	女性	患者比率	平均年齢	男性	女性
肺癌	220	148	72	12.6%	71.7	72.1	70.8
胃癌	196	154	42	11.2%	73.0	73.9	69.8
結腸癌	195	111	84	11.2%	70.4	70.7	70.0
乳癌	172	2	170	9.9%	60.7	74.0	60.5
前立腺癌	113	113	-	6.5%	72.6	72.6	-
膀胱癌	87	69	18	5.0%	73.6	73.2	74.9
子宮頸癌	82	-	82	4.7%	44.6	-	44.6
直腸癌	81	52	29	4.6%	69.2	69.5	68.8
リンパ腫	69	41	28	4.0%	71.4	72.0	70.6
膵臓癌	61	41	20	3.5%	74.6	73.3	77.4
脳腫瘍	51	23	28	2.9%	59.5	62.6	57.0
皮膚癌	42	24	18	2.4%	73.7	73.0	74.6
食道癌	36	31	5	2.1%	73.3	72.7	76.8
肝癌	35	23	12	2.0%	74.5	72.8	77.8
腎癌	31	20	11	1.8%	65.8	65.2	66.8
子宮体癌	30	-	30	1.7%	59.1	-	59.1
白血病	24	17	7	1.4%	65.8	67.5	61.7
肝外胆管癌	18	12	6	1.0%	75.7	75.2	76.7
卵巣癌	17	-	17	1.0%	58.7	-	58.7
腎盂、尿管癌	17	13	4	1.0%	75.9	76.9	72.8
咽頭癌	17	14	3	1.0%	66.6	67.6	62.3
口唇及び口腔癌	16	8	8	0.9%	66.8	72.1	61.5
喉頭癌	15	13	2	0.9%	73.7	72.0	85.0
その他の血液癌	15	8	7	0.9%	65.6	61.9	69.9
骨髄異形成症候群	14	10	4	0.8%	75.1	74.4	76.8
多発性骨髄腫	13	11	2	0.7%	67.7	67.5	69.0
甲状腺癌	9	3	6	0.5%	58.6	58.7	58.5
原発不明癌	9	7	2	0.5%	70.4	71.1	68.0
胆のう癌	8	4	4	0.5%	76.6	79.5	73.8
悪性軟部腫瘍	6	2	4	0.3%	67.5	64.0	69.3
悪性黒色腫	6	2	4	0.3%	68.8	69.0	68.8
鼻腔及び副鼻腔癌	4	2	2	0.2%	71.5	68.0	75.0
中皮腫	4	2	2	0.2%	72.5	71.0	74.0
精巣癌	4	4	-	0.2%	40.3	40.3	-
小腸癌	4	3	1	0.2%	66.8	68.0	63.0
胸腺癌	4	0	4	0.2%	64.0	-	64.0
十二指腸乳頭部癌	3	1	2	0.2%	70.7	70.0	71.0
その他	16	10	6	0.9%	71.7	72.1	71.0
総計	1744	998	746	100.0%	68.5	71.6	64.3

【2019年癌初発診断件数】 患者比率については四捨五入のため、合計とは一致しない場合があります。

原発部位	総数	男性	女性	患者比率	平均年齢	男性	女性
肺癌	217	160	57	13.0%	73.5	73.4	74.0
結腸癌	180	114	66	10.8%	72.0	71.7	72.4
乳癌	156	0	156	9.3%	62.2	-	62.2
胃癌	156	114	42	9.3%	73.6	73.9	72.9
前立腺癌	118	118	-	7.1%	73.1	73.1	-
直腸癌	105	70	35	6.3%	68.3	67.0	71.0
リンパ腫	76	41	35	4.5%	70.7	70.3	71.1
膀胱癌	69	49	20	4.1%	74.1	74.1	74.3
子宮頸癌	67	-	67	4.0%	45.0	-	45.0
皮膚癌	63	28	35	3.8%	76.7	74.1	78.8
脳腫瘍	54	32	22	3.2%	59.6	57.0	63.5
膵癌	49	23	26	2.9%	73.2	72.0	74.3
肝癌	43	31	12	2.6%	72.7	71.9	74.8
腎癌	35	24	11	2.1%	65.2	68.3	58.5
白血病	30	16	14	1.8%	72.4	75.1	69.2
卵巣癌	19	-	19	1.1%	53.8	-	53.8
舌癌	19	8	11	1.1%	60.9	70.8	53.8
甲状腺癌	19	6	13	1.1%	61.1	58.7	62.2
子宮体癌	18	-	18	1.1%	55.3	-	55.3
咽頭癌	18	16	2	1.1%	70.9	73.1	53.0
その他の血液腫瘍	18	9	9	1.1%	64.9	66.2	63.7
口唇及び口腔癌	17	9	8	1.0%	76.4	78.2	74.4
食道癌	15	13	2	0.9%	68.6	68.0	72.5
肝外胆管	14	7	7	0.8%	72.3	73.9	70.7
胆のう癌	13	6	7	0.8%	72.2	69.0	75.0
骨髄異形成症候群	12	8	4	0.7%	78.3	80.0	75.0
原発不明癌	12	5	7	0.7%	68.8	69.8	68.0
骨髄腫	10	4	6	0.6%	74.3	68.5	78.2
尿管癌	7	6	1	0.4%	80.0	79.8	81.0
精巣癌	7	7	-	0.4%	43.1	43.1	-
耳下腺癌	6	3	3	0.4%	63.2	61.3	65.0
小腸癌	5	2	3	0.3%	68.0	68.5	67.7
喉頭癌	5	5	0	0.3%	80.0	80.0	-
脈絡膜悪性黒色腫	4	2	2	0.2%	72.3	69.0	75.5
腎盂癌	4	3	1	0.2%	76.0	75.7	77.0
胸腺癌	4	3	1	0.2%	62.0	55.3	82.0
肛門管癌	3	2	1	0.2%	71.3	81.0	52.0
胸膜中皮腫	1	1	0	0.1%	77.0	77.0	-
その他	5	4	1	0.3%	60.6	58.0	71.0
総計	1,673	949	724	100.0%	69.1	71.4	66.1